

CONSULTANCY Projects FOR THE YEAR 2009-2010

Ref. No.	Type of Project	Agency	Deptt.	PI's Name	Project Title
1648	Const.	Chief Engg., Haryana State Agricultural Marketing Board, Panchkula	EED	Prof. Shiv Narain	Conducting of Departmental Examination for in-service Engineers (Civil/Electrical) of H.S.A.M
1649	Const.	Chief Engg., Haryana State Agricultural Marketing Board, Panchkula	CED	Prof. Sibhy John	Conducting of Departmental Examination for in-service Engineers (Civil/Electrical) of H.S.A.M
1650	Const.	Sub Divisional Engineer, Road Sub. Div. No. - 3, Chandigarh	Civil	Prof. Umesh Sharma	Collection of Samples for strengthening of Dakshin Marg from Junction no. 30 to 31 (Sector 25 side), Chandigarh
1651	Testing	Sub Divisional Engineer, Road Sub. Div. No. - 3, Chandigarh	Civil	Prof. Umesh Sharma	Collection of Samples for strengthening of Dakshin Marg from Junction no. 30 to 31 (Sector 38 side), Chandigarh
1652	Testing	53 Engineer Regiment, Pin 914053, C/o 56 APO	Civil	Prof. Roshan Lal	Testing of Composite Material, 150mm X 100mm X 10mm I Section Beam of 3.2 Meter Length
1653	Const.	GM Track Innvations Pvt. Ltd.	Civil	Prof. Roshan Lal	Mix Design M-25
1654	Testing	Sub Divisional Engineer, MCPH, Sub. Div -18, Chandigarh.	Civil	Prof. N.P. Devgan	Construction of 10 MGD Swerage treatment plant with duel media filters (Testing Compression strength of Cement, Concrete Cubes)
1655	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Emergency Medical Center & Fire Station at Safdarjung Airport Delhi.
1656	Const.	M/s Chopra Consulting Engg. # 1076, Sec-21B, Chandigarh.	Civil	Prof. N.P. Devgan	Checking of Structural Design and Drawings for Showroom Building at Rajpura.
1657	Const.	Executive Engineer, Division PWD(B&R)Br. Faridkot	Civil	Prof. P. Gupta	Testing steel of various dia's FE-500, for construction of GGS Medical College, Senate campus and Academic block for Baba Farid University of Health Science at Faridkot
1658	Testing	Sub Divisional Engineer Construction Sub. Div.-10. Chandigarh.	Civil	Prof. Umesh Sharma	Testing of Bitumen contents, Density, Gradation for Re-carpeting of internal roads in Police Complex Sector-26, Chandigarh
1659	Testing	Executive Engineer. (D) B&R, Municipal Corporation, Ludhiana, Punjab	Civil	Prof. Umesh Sharma	Testing Samples of SDBC/DBM/BM/MSS
1660	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Structural Design/Drawings for Multistoreyed Flats at Village - Himmatgarh (Dhakula) NAC Zirakpur.
1661	Const.	Bharuch Enviro Infrastructure Ltd. Ankleshwer, Gujarat	O/O Dir	Prof. Manoj Datta	Construction of Cell : 3 of new landfill at BEIL, Ankleshwar
1662	Testing	Officer on Special Duty, Vigilance Cell, UT Chandigarh..	Civil	Prof. Meena Aggarwal.	Testing of Bituminous Samples
1663	Const.	M/s Wapcos Ltd., SCO 826, 2 nd Fl, Manimajra Chandigarh	Civil	Prof. N.P. Devgan	Proof Checking of ROB Design at Taraori, Karnal
1664	Const.	Centralized Staff Slection Committee, BBMB, Chandigarh.	Civil	Prof. Roshan Lal	Setting and Checking of miltple choice objective-type paper(s) for different posts in BBMB.

1665	Testing	Executive Engineer. (D) B&R, Municipal Corporation, Ludhiana, Punjab	Civil	Prof. Umesh Sharma	Testing Samples of SDBC/DBM/BM/MSS
1666	Testing	Sub Divisional Engineer, Road Sub. Div. No. - 3, Chandigarh	Civil	Prof. Umesh Sharma	Re-carpeting of Jn No. 20 & Jn. No. 42 on Madhya Marg, Chandigarh
1667	Const.	M/s Sakshi Pharma Distributors, 182/60, Industrial Area-I, Chandigarh	Mech.	Prof. V.P. Singh	Inspection of the Vehicle for the Manufacturing defect.
1668	Const.	M/s Wapcos Ltd., SCO 826, 2 nd Fl, Manimajra Chandigarh	Dir.	Prof. Manoj Datta	Strengthening and Stability of banks of Sundernager Hydel Channel
1669	Testing	Sub Divisional Engineer, Road Sub. Div. No. - 5, Chandigarh	Civil	Prof. Umesh Sharma	Testing of Contents of bitumen, Density of Site for Recarpeting of Main Roads of Mauli Complex
1670	Const.	Director, Kandi Water Shed Design, Punjab P.W.D. (IB) Chandigarh	Civil	Prof. Roshan Lal	Checking of Structural Design of D.R. bridge of Kandi Canal Stage-II at R.D. 107803m.
1671	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Community Health Center at Bhuna, Fathehabad
1672	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Govt. College at Meham
1673	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. Meena Aggarwal	Testing of Bituminous Samples
1674	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. Tripta Goel	Testing of Bituminous Samples
1675	Testing	Divisional Engineer (C-1), GAMADA, Mohali	Civil	Prof. Umesh Sharma	Density test of Bituminous Concrete layer at widening of Sector dividing roads Sector 51-62, 62-63, & 61-62 at Mohali under GMADA
1676	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. P. K. Gupta	Testing of Samples for Cement, Coarse aggregate & Fine aggregate
1677	Const.	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. P. K. Gupta	Testing of Samples for Cement mortar and Cement, Concrete for Coarse aggregate & Fine aggregate
1678	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. R.R. Singh	Checking of Bitumen contents
1679	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. Umesh Sharma	Testing of Samples for Cement Coarse aggregate & Fine aggregate
1680	Testing	Executive Engineer (D), B&R, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking of Bitumen contents
1681	Testing	Corporation Engineer- C, Municipal Corporation, Ludhiana,	Civil	Prof. Umesh Sharma	Testing of Samples of DBM and SDBC for Ludhiana Malerkotla road
1682	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. S.K. Singh	Testing of Bitumen
1683	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA Office Building, Sec-6, Panchkula, Haryana	Civil	Prof. Soxina Sood	Testing of Bitumen
1684	Testing	Officer on Special Duty, Vigilance Cell, UT Chandigarh.	Civil	Prof. N.P. Devgan	Examination of Cement, Sand, Bajri, MS Conduit Pipe 26mm & 20mm, Samples

1685	Testing	Sub Divisional Engineer, MCPH Sub. Div.- 18, Chandigarh.	Civil	Prof. Sarita Singla	Construction of 10 MGD T.T plant at Diggian (Testing of Cubes of M-25 Design mix-compressive strength)
1686	Testing	Sub Divisional Engineer, MCPH Sub. Div.- 18, Chandigarh.	Civil	Prof. Sarita Singla	Construction of 10 MGD T.T plant at Diggian (Testing of Cubes of M-25 Design mix-compressive strength)
1687	Testing	Sub Divisional Engineer, MCPH Sub. Div.- 18, Chandigarh	Civil	Prof. Sarita Singla	Construction of 10 MGD T.T plant at Diggian (Testing of Cubes of M-25 Design mix-Compressive strength)
1688	Testing	Executive Engineer (C) B&R, Municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Testing Samples of SDBC/DBM/BM/MSS
1689	Testing	Officer on Special Duty, Vigilance Cell, UT Chandigarh.	Civil	Prof. Sarita Singla	Construction of 10 MGD T.T plant at Diggian (Testing of Cement Sample)
1690	Const.	Executive Engineer, Pro. Sub Div -B&R, Hoshiarpur Punjab	Civil	Prof. N.P. Devgan	Checking of Structural Drawings for the work of Food Craft Institute at Hoshiarpur
1691	Const.	M/s Semi Conductor Laboratory, Sec-72, Mohali	Civil	Prof. Roshan Lal	Checking of Structural Designs & Drawings for SCL's Housing Colony
1692	Testing	Executive Engineer, Vigilance HUDA, Panchkula.	Civil	Prof. Umesh Sharma	Testing of Sample for Cement, Coarse aggregate & Fine aggregate
1693	Const.	Executive Engineer, PWD B&R, Faridkot	Civil	Prof. P. K. Gupta	Testing of steel of various dia's for construction of Modern Jail at Faridkot, Punjab
1694	Testing	Sub Divisional Engineer, Sub. Div. No -2, Chandigarh	Civil	Prof. Umesh Sharma	Testing of 50 mm thick Bituminous Macadam and 25mm thick SDBC on jn. 34, U.T Chandigarh.
1695	Const.	Engineers India Ltd. New Delhi	T&PO	Prof. K.K. Garg	Question Paper Setting for recruitment of fresh Engineering graduates as Management Trainees-2009
1696	Testing	Chief Vigilance Officer, Deptt. Local Bodies Govt. of Punjab Chandigarh.	Civil	Prof. Umesh Sharma	Collecting and Testing of samples of development works.
1697	Const.	M/s Creative Consultants, # - 2402, Sec-67, Mohali	Civil	Prof. N.P. Devgan	Proof Checking Structural Design of Judicial Complex at Samrala, Punjab
1698	Const.	M/s Renu Khanna & Associate Panchkula, Haryana	Civil	Prof. Roshan Lal	Vetting of Structural Glazing Calculations of Forest office complex at Sec- 68, Mohali
1699	Const.	M/s Sakar Foundation, SCO 53-55, Sec 17 Chandigarh	Civil	Prof. Roshan Lal	Evaluation of Foundation Drawings, Agro Mall at Rohtak, Haryana
1700	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Structural Design/Drawings for office building at Rewari
1701	Const.	Executive Engineer, Provincial Div. Pb. PWD (B&R) Chandigarh	Civil	Prof. Roshan Lal	Vetting of Structural Design of Consumer Dispute Redressal Commission office Sec-37, Chandigarh.
1702	Const.	M/s Taneja Developers & Infra. SCO-1098-99, Sec-22B, Chandigarh	Civil	Prof. N.P. Devgan	Counter Checking of Design for OHSR at TDI City-1 Mohali
1703	Testing	Chief Vigilance Officer, Deptt. Local Bodies Govt. Punjab. Chandigarh	Civil	Prof. Umesh Sharma	Testing of Samples of Improvement trust, Ludhiana.
1704	Testing	Executive Engineer, HUDA, Panchkula	App. Sci	Prof. Prem Lata	Testing of Sample for Cement, Coarse aggregate & Fine aggregate
1705	Testing	Executive Engineer, B&R, Municipal	Civil	Prof. Umesh	Testing of Bitumen Contents of DBM and SDBC of Gill Road from

		Corporation, Ludhiana		Sharma	Vishkarma Chowk to Octroi limits.
1706	Const.	Executive Engineer, B&R, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Testing of Bitumen Contents of DBM and SDBC of Gill Road from Vishkarma Chowk to Octroi limits.
1707	Const.	SE Civil Works Div., PSEB, Mohali	Civil	Prof. N.P. Devgan	Mix Design for M-20 Concrete for Civil Works in PSEB Mohali
1708	Const.	Metalex Enterprises, Plot no F-228, Ind Area, Ph 8B, Mohali	Metta.	Prof. Uma Batra	Conducting Experiments to soughtout an Industrail problem
1709	Const.	Chief Engineer, Haryana State Agricultural Marketing Board, Panchkula	Elect.	Prof. Shiv Narain	Conducting of Departmental Examination for in-service Engineers (Civil/Electrical) of H.S.A.M
1710	Const.	Dy.Man.Engg. Bharat Petroleum Crop. Ltd, Lalru LPG Plant, Pb.	Civil	Prof. N.P. Devgan	Vetting of RCC Design for retaining wall foundation for LPG plant Lalru Punjab
1711	Testing	Asstt. Engg. Sub Div-1, HP PWD Nahan HP	Civil	Prof. N.P. Devgan	Testing of Cement Pavements for Compressive strength and abrasion test.
1712	Const.	M/s Megh Raj Bansal, SCO 876 Mani Majra Chandigarh	Civil	Prof. Roshan Lal	Mix Design for M-25 Concrete at Constructoin of SCL Housing Complex at Sec-71, Mohali.
1713	Testing	Municipal Engg., Municipal Council, Mohali	Civil	Prof. Umesh Sharma	Testing of Bitumen Contents of sample from 25mm thick SDBC on roads in Phase VII, Mohali
1714	Testing	Executive Engineer, Prov. Divn. PWD, (B&R) Faridkot Punjab	Civil	Prof. P. K. Gupta	Testing of Steel of various dia's FE - 500
1715	Testing	Municipal Engg, Municipal Council, Phillaur	Civil	Prof. P. K. Gupta	Testing of Bitumenous Contents in the mixture of B.M, P.C and Sealcoat
1716	Testing	Municipal Engg. Municipal Council, Phillaur	Civil	Prof. P. K. Gupta	Testing of Bitumenous Contents in the mixture of B.M, P.C and Sealcoat
1717	Testing	Municipal Engg. Municipal Council, Phillaur	Civil	Prof. P. K. Gupta	Testing of Bitumenous Contents in the mixture of B.M, P.C and Sealcoat
1718	Const.	Chief Project Manager, Omaxe Ltd, Faridkot Punajb	Civil	Prof. P. K. Gupta	Checking of Structural Design of RCC Boundary wall for Modern Jail Kapurthala & Faridkot.
1719	Testing	Executive Engineer, Prov. Divn. PWD, (B&R) Faridkot Punjab	Civil	Prof. P. K. Gupta	Testing of Cement OPC – 43 Grade
1720	Testing	M/s Amar Nath Agg. Const. Pvt. Ltd. Panchkula	Civil	Prof. P. K. Gupta	Testing of HYSD Bars for Cement Concrete Reinforcement for Construction of Bridges and Road Chandimandir to vill. Jallah in Pkl
1721	Testing	Municipal Engg. Municipal Council, Phillaur	Civil	Prof. P. K. Gupta	Testing of Bitumenous Contents in the mixture of P.C and Sealcoat for repair of road from Ex-M.C Ashwani Goel Coal Depot
1722	Const.	Municipal Engg. Municipal Council, Phillaur	Civil	Prof. P. K. Gupta	Testing of Bitumenous Contents in the mixture of P.C and Sealcoat
1723	Const.	M/s Master Construction Co. # 1798, Sec- 60, Mohali	Civil	Prof. Sarita Singla	Design Mix. M - 25 for Kendriya Vidayala at Sabathu.
1724	Testing	Sub Divisional Engineer, HUDA Sub Div.-III, Pkl.	Civil	Prof. Roshan Lal	Testing of Cement Samples.
1725	Const.	Executive Engineer, C.P Div. No. 5, Chandigarh	Civil	Prof. N.P. Devgan	Vetting of Structural Design of Block – E, (frame structure only) Sec-32, Chandigarh

1726	Const.	Sub Divisional Engineer, Road, Sub Div No. 3, Chandigarh	Civil	Prof. Umesh Sharma	Widening of V-3, Road on Udyog Path into two lane dual carriageway including strengthening and recarpeting.
1727	Const.	Chief Administrator, Haryana State Agricultural Marketing Board, Panchkula	Civil	Prof. S. John	Conducting of Departmental Examination for in-service Engineers (Civil/Electrical) of H.S.A.M
1728	Const.	Executive Engineer, Prov. PWD, Naraingarh	Civil	Prof. P. K. Gupta	Testing of CBR Value and Gradation for Up- gradation of Sadhaura to Kotla to Ranjitpur road in Yanuna Nagar, Haryana
1729	Testing	Executive Engineer, (B&R), Municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Checking of Bitumen (Binder) contents for Strengthening of road
1730	Testing	Executive Engineer, (B&R), Municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Checking of Bitumen (Binder) contents for Strengthening of road
1731	Testing	Sub Divisional Engineer, Roads, Sub.Div.-3, Chandigarh	Civil	Prof. Umesh Sharma	Collection of Samples for widening of V-3, Road on Udyog Path in to two lane dual carriageway including strengthening and recarpeting.
1732	Const.	Executive Engineer, (B&R), Municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Checking of Gradation of P.C for Laying 20mm thick P.C from Rana Ka Dhaba to Pakhowal Road flats, Model Gram.
1733	Const.	Executive Engineer, (B&R), Municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Checking of Gradation of DBM. Strengthening Gill road from Viskarma Chowk to M.C limit.
1734	Const.	M/s Chopra Consulting Engg. # 1076, Sec-21B, Chandigarh	Civil	Prof. N.P. Devgan	Checking of Structural Design and Drawings for Central Watch Tower, Hospital building, Hostel & Kitchen building at Kapurthala jail
1735	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Checking of Structural Design and Drawings for teachers Flats, Sirsa
1736	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of design of Foundations of Two Roof Top sites of Indus Towers Ltd.
1737	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Structural Drawings/Designs for various categories of Flats of Project Housing Scheme of Sec – 63, Chandigarh
1738	Testing	Sub Divisional Engineer, HUDA Sub Div.-III, Panchkula.	Civil	Prof. N.P. Devgan	Testing of Cubes of M - 20
1739	Const.	Ram Kumar Goyal, Narwana	Civil	Prof. P. K. Gupta	Proof Checking R.O.B. at Chawa Pail
1740	Const.	Chief Engg. PSEB, Patiala	Admin.	Prof. Manoj Datta	Checking of Design & Drawings for 1 st raising of ash dykes stage-II an checking the stability of Northern Ash Dyke of stage-II and Micro Hydrel Channel at GGSSTP Ropar
1741	Testing	Chief Engg. Haryana PWD B&R Deptt. Chandigarh.	App. Sci	Prof. Prem Lata	Testing Samples of Cement - Sand Motors, Cement Concrete and Water
1742	Testing	Chief Vigilance Officer, Deptt. of Local Bodies Govt. of Punjab, Chandigarh	Civil	Prof. Umesh Sharma	Colllecting and Testing of samples of development works at Municipal Corporation Jalandhar
1743	Const.	Divisional Engg. GMADA, Mohali	Civil	Prof. Umesh Sharma	Technical Advice for showing signs of distress and cracks on Sector dividing roads of Sector 53/54, 59/60 upto end of Sec 71/72, Mohali
1744	Const.	Sub Divisional Engineer, HUDA Sub Div.-III, Panchkula Haryana	Civil	Prof. Umesh Sharma	Analysis of Aggregate Grading
1745	Testing	SDO-II, Haryana State Agriculture Marketing	Civil	Prof. Roshan	Testing of Cement Concrete Cubes for Compressive strength and

		Board, Panchkula		Lal	Chemical analysis of Cement used in PPC
1746	Testing	SDO-II, Haryana State Agriculture Marketing Board, Panchkula	App. Sci	Prof. H. Kaur	Testing of Cement Concrete Cubes for Compressive strength and Chemical analysis of Cement used in PPC
1747	Testing	SDO-II, Haryana State Agriculture Marketing Board, Panchkula	Civil	Prof. Umesh Sharma	Testing of Samples for work Dev. Of NGM Raipur Rani (Premix carpet for testing bitumen contents)
1748	Const.	SDO Jagadhari Water Services, Sub. Div. Jagadhar, Haryana	Civil	Prof. N.P. Devgan	Vetting of Design/Drawings of V.R. Bridges at Tapu Majri & Mashara Nallah.
1749	Const.	M/s Satnam Namita & Asso. Sco- 190-92, Sec 8, Chandigarh	Civil	Prof. N.P. Devgan	Vetting of Structural Design for Building of proposed Judges conference halls and extension of library.
1750	Const.	M/s Vastukrits Architectures Management, B-4/25, 2 nd Fl, Safdarjung Enclave, New Delhi	Civil	Prof. N.P. Devgan	Peer Review of Structural Design of HICOP project at Sec-74, Gurgaon.
1751	Const.	M/s Vastukrits Architectures Management, B-4/25, 2 nd Fl, Safdarjung Enclave, New Delhi	Civil	Prof. Roshan Lal	Proof Checking of Structural Design, (Badminton hall at Ambala)
1752	Const.	M/s Vastukrits Architectures Management, B-4/25, 2 nd Fl, Safdarjung Enclave, New Delhi	Civil	Prof. Roshan Lal	Proof Checking of Structural Design, (Athletic Pavilion at Ambala)
1753	Const.	M/s Vastukrits Architectures Management, B-4/25, 2 nd Fl, Safdarjung Enclave, New Delhi	Civil	Prof. Roshan Lal	Proof Checking of Structural Design, (Polytechnic at Ambala & Kurukshetra)
1754	Const.	Gen. Manager, Punjab Mandi Board, Hosiharpur, Punjab	Civil	Prof. Sarita Singla	Proof Checking of Structural Drawings of Pit Type 16mt X 3mt Weigh Bridge (80MT)
1755	Const.	E&EC Deptt.	E&EC	Prof. A.K. Singh	National Conference on Wireless & Optical Communication WOC-2008
1756	Const.	Executive Engineer, P.H Div. No. 8 Chandigarh	Civil	Prof. Sarita Singla	Checking of Structural Drawings for construction of 2 MGD Under ground Reservoir, Suction Pump, Pump Chamber, Boundary Wall with gurd room etc in institution area Sarangpur, Chandigarh
1757	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. N.P. Devgan	Vetting of Design/Drawings for Construction of Lawyers chambers in Sec-43, Chandigarh.
1758	Const.	Sub Divisional Engineer, P.H Sub Div no. 4 Chandigarh	Civil	Prof. Sarita Singla	Design Mix M-25 & M-35 for provision Of Sever Lines for 1024 small flats, in Sec 49, Chd.
1759	Const.	Executive Engineer, Rai Water Service Division, Sonipat, Haryana	Civil	Prof. Roshan Lal	Checking of Design/Drawings for Construction of 2.46 M.Span (35 skew) 60M. Wide bridge at RD 81000 in Rajiv Gandhi Education City Sonapat.
1760	Testing	City Magistrate, Panchkula Haryana	Civil	Prof. Umesh Sharma	Checking Ratio of Material
1761	Const.	Sr. Hydrogeologist, Punjab Water Resources Management Development Corporation, SCO-28-29, Sec 26, Chandigarh	Metta.	Prof. J.D Sharma	Analysis and opinion regarding composition of material of Wire Winch Unit of Borehole TV Camera System.
1762	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. Roshan Lal	Vetting of Structural Design & Calculations for construction of 16 Nos Court Room in Punjab & Haryana High Court Building
1763	Const.	Gen. Manager, Rites Ltd, No-1, Sec-29, Gurgaon.	Admin.	Prof. Manoj Datta	Checking of Design, Drawings, construction methodology and specifications for Slope stability measures in cuttings between Km 149/000 to Km 151/000 for Laole-Quazigund USBRL project

1764	Testing	58 Engg. Regiment Pin 914058 C/o 56 APO	Civil	Prof. S.K. Singh	Testing of Core of Soil Samples
1765	Testing	58 Engg. Regiment Pin 914058 C/o 56 APO	Civil	Prof. S.K. Singh	Testing of Tiles to be of M-35 Grade or Not
1766	Testing	Executive Engineer, HUDA Vigilance Cell, Sec-6, Panchkula, Haryana	Civil	Prof. Roshan Lal	Testing of Bricks sample for Bearing Capacity
1767	Testing	Executive Engineer, HUDA Vigilance Cell, Sec-6, Panchkula, Haryana	Civil	Prof. Roshan Lal	Testing of Bricks sample for Bearing Capacity
1768	Const.	National Rural Road Development Agency New Delhi	Civil	HoD Civil	Scrutiny of Project Proposals under PMGSY (Haryana)
1769	Const.	National Rural Road Development Agency New Delhi	Civil	HoD Civil	Scrutiny of Project Proposals under PMGSY (Punjab)
1770	Const.	UPL Environmental Engineers Ltd, Vadodara, Gujrat	Dir. Office	Prof. Manoj Datta	Approval of Design of Landfill for MSW (inert) disposal at Vellalore site in Coimbatore City
1771	Const.	M/s Jindal's Consortium, SCF-9, Vikas Vihar, Ambala City, Haryana	Civil	Prof. Roshan Lal	Proof Checking of Structural Design & Drawings of Bridge
1772	Const.	Sub Divisional Engineer, Sub. Div. PWD (B&R) Br., Meham, Haryana	Civil	Prof. P. K. Gupta	Checking of Design for construction of 3 box cell bridge on GLMB road crossing Bhiwani Sub branch
1773	Const.	M/s DMR Builders Pvt Limited, SCF-126, Sukhraj Cinema, Goniana Road , Bathinda	Civil	Prof. P. K. Gupta	Checking of Design for Construction of SBS college and construction of 10+1,10+2 School at Ferozepur.
1774	Const.	M/s Sukhija Real Estates Pvt. Ltd., SCO 58-61, Sec- 8, Chandigarh	Civil	Prof. Roshan Lal	Proof Checking of Structural Design of retrofitting of the building
1775	Const.	Executive Engineer, Haryana State Agriculture Marketing Board, Panchkula	Civil	Prof. N.P. Devgan	Checking Design Calculations & Drawings for construction of OHSR 150000 liter Capacity in NGM/NVM at Sec-20, Panchkula
1776	Const.	M/s Taneja Developers & Infra. SCO-1098-99, Sec-22B, Chandigarh	Civil	Prof. N.P. Devgan	Checking of Structural Design for UGSR of 5 lakhs gallon at TDI City-1, Mohali
1777	Const.	Executive Engineer, C.P Division No-6, Chandigarh	Civil	Prof. N.P. Devgan	Concrete Design Mix (M-30 & M-40) for Library Building in High Court premises.
1778	Const.	Edifice Inc., Khosla Timbers, Timber market #-5, Sec-26 Chandigarh	Civil	Prof. Sarita Singla	Vetting of Structural Design & Drawings of DRGS Complex for 48 Sqn at Airforce Station Chandigarh
1779	Const.	M/s Jindal's Consortium, SCF-9, Vikas Vihar, Ambala City, HR	Civil	Prof. N.P. Devgan	Proof Checking of Structural Design & Drawings for Construction of Bridge
1780	Testing	C.O, 507 SS & TC (GREF) Pin -930507, C/O 56 APO	Civil	Prof. Sarita Singla	Testing of Compressive Strength of 43 Grade Cement
1781	Testing	M/s Balaji Engg. Co., H.no-287, Milk Colony, Dhanas, Chandigarh	Civil	Prof. N.P. Devgan	Testing of Compressive Strength of Cubes
1782	Const.	Executive Engineer, Central Works Division, PWD B&R Br, Roopnagar	Civil	Prof. Umesh Sharma	Renewal Coat on Kharar Ludhiana Road (Job Mix formula for SDBC 25mm thick with betumenous binder CRMB-60)
1783	Testing	S.K Bose, AE (Civ), AGE B/R Subathu	App. Sci	Prof. V. Singh	Testing of Mixed Cement Sand mortar for Chemical analysis of ratio cement sand used in the mortar for Kendriya Vidayala at Subathu
1784	Testing	Ext. Engg., HUDA, Vigilance Cell, HUDA	App. Sci	Prof. V.	Testing of Concrete panel for analysis of Cement Sand and Stone

		Office Building, Sec-6, Panchkula, Haryana		Singh	aggregate.
1785	Const.	Executive Engineer, Project P.H. Divn. No. 8, Chandigarh.	Civil	Prof. Siby John	Consultancy for Post Audit works
1786	Const.	Sub Divisional Engineer, Sub. Div. No. 12, Chandigarh	Civil	Prof. Umesh Sharma	Extraction of cores from PCC kerbs/channels and determine its compressive strength and thickness for construction of roads in Institutional Area of Sarangpure, Chandigarh
1787	Const.	Project Director , National Highways Authority of India, PIU, Jalandhar (PB)	Civil	Prof. P. K. Gupta	Designing of suitable Job Mix for laying 25 mm thick SDBC on Bhogpur-Mukerian section of NH-1A .
1788	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. N.P. Devgan	Vetting of Structural Design/Drawings for 5 No.s Roof Top sites in Haryana
1789	Const.	Assistant General Manager, The Tribune Trust, Sector-29-C, Chandigarh.	Director Office	Prof. Manoj Datta	Consultancy service for the Tribune Model School buildingfor Structural Safety & Suggesting remedial measures.
1790	Testing	Sub Divisional Engineer, M.C.P.H Sub. Div No.18, Chandigarh	Civil	Prof. N.P. Devgan	Testing of Pre cast R.C.C Samples with frame
1791	Const.	M/s Ankush Engineers & Contractors (PVT.) Ltd., # - 781, Sector-16, Panchkula.	Civil	Prof. N.P. Devgan	Proof checking of the Design of Super Structure for ROB with RCC T. Beam/Girders over Pile Founn. Jalandhar-Amritsar section for Northern Railways
1792	Testing	State Consumer Disputes Redresses Commission, Chandigarh	Work Shop	Prof. Rajesh Kumar	Inspection of Beds
1793	Const.	Sub Divisional Officer, Project Sub. Div. No.-1, Panchkula	Civil	Prof. R.R. Singh	Tests of construction materials.(20mm and 10mm aggregate and Coarse Sand : Gradation, Impact, Abrasion, Water Absorption, Specific Gravity, Flakiness Index, Bulk Density etc.)
1794	Const.	M/s Pawan Singh Dogra, VPO – Jijwin, Tehsil-Bhoranj, Dist-Hamirpur (HP)	Civil	Prof. Roshan Lal	Checking of Hydraulic & Structural Design in respect of 3.82 MLD. WTP at augmentation of New Bilaspur Town.
1795	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking Bitumen Content on Rani Jansi Road Ludhiana
1796	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking Bitumen Content/Gradation on main Hambra Road Ludhiana
1797	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking Bitumen Content on Main Hambra Road from seffion chowk to M.C. limit Ludhiana
1798	Const.	Executive Engineer- Zone A, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking Bitumen Content/Gradation for the road Namdhari Smarak issa nagari pulli to Chadda Building material store, Ludhiana
1799	Const.	M/s Rajan Builders, #- 76, Partap Nagar, Patiala, Punjab	Civil	Prof. N.P. Devgan	Vetting of C/o 2 Lacs Ltr Cap. RCC Overhead Tank at CRPF Campus, Hallo Majra
1800	Const.	M/s Syal & Associates, F-91, Ph.7, Mohali	Civil	Prof. N.P. Devgan	Vetting of Structural Design/Drawings for 2 Nos Roof Top Sites in Haryana.
1801	Const.	Sr. Manager Engg (C), SG. Chandigarh Division, Civil Air Terminal, Chandigarh	Civil	Prof. S.K. Singh	Consultancy for Soil Investigation and Structural Design for Boundary wall of New International Civil Air Terminal Complex
1802	Const.	Chief Vigilance Officer, Deptt. of Local Govt., Punjab, SCO 131-32, Sec-17, Chandigarh	Civil	Prof. Umesh Sharma	Checking of Layer of earth at MC Sirhind for Improvement Trust Patiala.
1803	Const.	Executive Engineer (D) B&R, Municipal	Civil	Prof. Umesh	Checking of Sample/Material laying DBM/SDBC on Hambran road

		Corporation, Ludhiana.		Sharma	from Session Chowk up to M.C Limit. Ludhiana
1804	Testing	Executive Engineer, HUDA Vigilance Cell, Panchkula.	App. Sci.	Dr. Harminder Kaur	Chemical Analysis of Cement & Concrete
1805	Const.	Sub Divisional Engineer, Provl. Sub Division No.II, PWD B&R Br., Hisar.	Civil	Dr. P.K. Gupta	Job Mix formula Design for four laning of NH-10 & Strengthening of NH-65
1806	Const.	M/s Conculing Engineers Associates, SCO-51 2 nd floor, Swastik Vihar, Sec-5, Panchkula	Civil	Dr. P.K. Gupta	Proof Checking of Bridge on Deodhar Nainawali Road and Chand Mandir Jallah road in Haryana.
1807	Testing	Executive Engineer, HUDA Vigilance Cell, C-3, Sector-6, Panchkula.	Civil	Dr. Harminder Kaur	Chemical analysis of Cement & Concrete Sample
1808	Testing	Chief Vigilance Officer, Deptt. of Local Govt., Punjab, SCO 131-32, Sec-17, Chandigarh	Civil	Prof. Umesh Sharma	Checking of depth & quality/quantity of earth work executed near Parsu Ram Park, near railway over bridge, Sirhind, Punjab.
1809	Testing	Chief Vigilance Officer, Deptt. of Local Govt., Punjab, SCO 131-32, Sec-17, Chandigarh	Civil	Prof. Umesh Sharma	Testing samples of Bricks for Compressive Strength, PC & BM sample for Bitumen Content & CC flooring sample for Cement Concrete Contents for MC Sangrur.
1810	Const.	Executive Engineer, Provl. Division, PWD B&R Br., Faridkot	Civil	Prof. Roshan Lal	Checking of Structural Design/Drawings for Central Watch Tower at Modern Jail Faridkot.
1811	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking of Bitumen Contents on Dugri road from Atam Park to Sidhwan Canal Ludhiana
1812	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking of Bitumen Contents on roads of Feroze Gandhi Market, Ludhiana.
1813	Const.	Executive Engineer- D, Municipal Corporation, Ludhiana	Civil	Prof. Umesh Sharma	Checking of Bitumen Content / Gradation for Hamrha Road by laying DBM & SDBC from Session Chock to MC Limit.
1814	Const.	Executive Engineer, Provl. Division, PWD B&R Br., Faridkot	Civil	Prof. Roshan Lal	Proof Checking of Design of R.C.C wall & other Building of Modern Jail at Faridkot.
1815	Const.	M/s Hydrotech Paryavaran (India) Pvt. Ltd. F-31, Indl. Area, Phase-VIII, Mohali	Civil	Prof. Sarita Singla	Checking of Hydraulic & Structural Design in respect of 5.0 MLD Plant at Charkhi Dadri.
1816	Const.	Sub Divisional Engineer W/S Sub Division No.2, Chandigarh.	Civil	Prof. R.R. Singh	Post audit of const. of road and conversion of surface drain into under ground system by laying RCC pipes in all streets of Khuda Alisher, Chandigarh
1817	Testing	Executive Engineer- D, B&R, municipal Corporation, Ludhiana.	Civil	Prof. Umesh Sharma	Checking of bitumen contents for strengthening of Convent school road from Ferozepur road to Pakhowal road, Sarabha Nagar.
1818	Const.	Sub Divisional Engineer, Water Supply Sub Division No 1, Chandigarh.	Civil	Prof. Sarita Singla	Mix Design M – 25 for construction of 2 MGD capacity UGR, suction pump chamber, boundary wall and guard room in institutional Area Sarangpur Chandigarh.
1819	Const.	Executive Engineer, HUDA Vigilance Cell, C-3, Sector-6, Panchkula.	Civil	Prof. Umesh Sharma	Testing of Samples for aggregate grading.
1820	Const.	Executive Engineer, (Vigilance) HUDA (HQ) Panchkula	Civil	Prof. Tripta Goyal	Testing of Samples for Bitumen Contents